

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20030055901").PN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 10:52
S2	35	@ad<"20010829" and content with specific with data same (delivery or push) and client and server and identif\$ and (preference or profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:22
S3	39	@ad<"20010829" and location with specific with data same (delivery or push) and client and server and identif\$ and (preference or profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:09
S4	15	@ad<"20010829" and location with specific with data same (delivery or push) same identif\$ and (preference or profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:22
S5	7329	@ad<"20010829" and location with specific with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:22
S6	5983	@ad<"20010829" and location near specific and identif\$ same (client or device or terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:23
S7	567	@ad<"20010829" and location near specific same identif\$ same (client or device or terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:23
S8	4	@ad<"20010829" and location near specific same identif\$ same (client or device or terminal) same (profile or preference) and content with (send or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:25
S9	0	@ad<"20010829" and location near specific same identif\$ same (client or device or terminal) same (profile or preference) same content with (send or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:25

S10	23	@ad<"20010829" and location near specific same identif\$ same (client or device or terminal) same (profile or preference) and content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:26
S11	21	@ad<"20010329" and location near specific same identif\$ same (client or device or terminal) same (profile or preference) and content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:27
S12	53	@ad<"20010329" and location near specific same identif\$ same (client or device or terminal) and content with (push or send or receive or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:28
S13	0	@ad<"20010329" and location near specific near device and location near specific with identif\$ same (client or device or terminal) and content with (push or send or receive or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:31
S14	0	@ad<"20010329" and location near specific near device and location near specific with identif\$ and content with (push or send or receive or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:31
S15	1	@ad<"20010329" and location near specific near device and identif\$ and content with (push or send or receive or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:33
S16	1	@ad<"20010529" and location near specific near device and identif\$ and content with (push or send or receive or transmit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:34
S17	204	@ad<"20010529" and 709/203. ccls. and identif\$ and identif\$ near location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:34
S18	57	@ad<"20010529" and 709/203. ccls. and identif\$ and identif\$ near location and content with (delivery or push or transmit\$ or send or receive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:35
S19	31	@ad<"20010529" and 709/203. ccls. and identif\$ and identif\$ near location and content near (delivery or push or transmit\$ or send or receive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:40

S20	621	@ad<"20010529" and identif\$ and identif\$ near location and content near (delivery or push or transmit\$ or send or receive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:46
S21	5	@ad<"20010529" and identif\$ and identif\$ near location and content near (delivery or push or transmit\$ or send or receive) and location near specific near (device or identi\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:49
S22	199	@ad<"20010529" and (delivery or push or transmit\$ or send or receive) near content same location same identi\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:05
S23	141	@ad<"20010529" and (delivery or push or transmit\$ or send or receive) near content same location same identi\$ and (preference or profile or settings)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:51
S24	34	@ad<"20010529" and (delivery or push or transmit\$ or send or receive) near content same location with (device or terminal or computer or client) same identi\$ and (preference or profile or settings)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:51
S25	7	@ad<"20010529" and (delivery or push or transmit\$ or send or receive) near content same location with (device or terminal or computer or client) same identi\$ same (preference or profile or settings)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 12:51
S26	34	@ad<"20010529" and (delivery or push or transmit\$ or send or receive) near content same location with (device or terminal or computer or client) same identi\$ and (preference or profile or settings)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 13:27
S27	0	("200200911991").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 13:03

S28	2	("20020091991").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/16 13:03
S29	39	@ad<"20010529" and device near location and wireless and content near delivery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 13:27
S30	74	@ad<"20010529" and ((network adj address) or (IP adj address)) and location with content and device with attribut\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:07
S31	13	@ad<"20010529" and ((network adj address) or (IP adj address)) and location with content and device with attribut\$ same type	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:49
S32	8	@ad<"20010529" and ((network adj address) or (IP adj address)) and location with content and device with attribut\$ same type and size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:07
S33	2	("5528248").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/27 11:49
S34	85	@ad<"20010829" and pause and (resume or play) and rewind and fast adj forward and user near instructions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:31
S35	6	@ad<"20010829" and pause and (resume or play) and rewind and fast adj forward and user near instructions and content with deliver\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:23
S36	590	@ad<"20010829" and pause same (resume or play) same rewind same fast adj forward	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:24
S37	28	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) same instruction and content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:55

S38	1	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) same instruction and content same (deliver or push or pull) and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:49
S39	0	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) same instruction same content and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:52
S40	1	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) same instruction same content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:52
S41	1	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) same instruction and (deliver or push or pull) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:02
S42	36	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) and (deliver or push or pull) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:08
S43	28	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) and (deliver or push or pull) with content same (internet or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:08
S44	27	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) and (deliver or push or pull) with content same (internet or network) and (change or zoom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:19
S45	1	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) and (deliver or push or pull) with content same (internet or network) and (change or zoom) and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:18
S46	0	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) and (deliver or push or pull) with content same (internet or network) and (zoom) and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:19

S47	1	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) and (deliver or push or pull) with content same (internet or network) and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:19
S48	1	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) and (deliver or push or pull) with content same (internet or network) and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:19
S49	11	@ad<"20010829" and pause same (resume or play) same rewind same (fast adj forward) and (deliver or push or pull) with content same (internet or network) and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:39
S50	0	"20040261112" and change with (channel or station or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:41
S51	1	"20040261112" and switch with (channel or station or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:41
S52	1	"20040261112" and select with (channel or station or program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:41
S53	227	@ad<"20010829" and deliver\$ near content and expiration adj (date or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:46
S54	0	@ad<"20010829" and deliver\$ near location near content and expiration adj (date or time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:46
S55	204	@ad<"20010829" and deliver\$ near content and expiration adj (date or time) and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:46

S56	13200	@ad<"20010829" and deliver\$ near content and (transmit\$ or deliver or alter\$) expiration adj (date or time) and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:47
S57	44	@ad<"20010829" and deliver\$ near content and (transmit\$ or deliver or alter\$) same expiration adj (date or time) and location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:53
S58	17	@ad<"20010829" and (deliver\$ or transm\$) near content and expir\$ near (date or time) same location same date same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:49
S59	174	@ad<"20010829" and (deliver\$ or transm\$) near content and expir\$ near (date or time) same date same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:49
S60	455	@ad<"20010829" and (deliver\$ or transm\$) same expir\$ near (date or time) same date same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:50
S61	46	@ad<"20010829" and (deliver\$ or transm\$) same expir\$ near (date or time) same date same time same content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:50
S62	18	@ad<"20010829" and (deliver\$ or transm\$) same expir\$ near (date or time) same date same time and (deliver or transm\$) adj content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 17:00
S63	64	@ad<"20010829" and (deliver\$ or transm\$) same expir\$ adj (date or time) and (deliver or transm\$) adj content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 17:01
S64	95	@ad<"20010829" and (deliver\$ or transm\$) same expir\$ adj (date or time) and (deliver or transm\$) near content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 17:01
S65	10	@ad<"20010829" and (deliver\$ or transm\$) same (store or delete) same expir\$ adj (date or time) and (deliver or transm\$) near content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 17:30

S66	311	@ad<"20010829" and expir\$ adj (date or time) and (deliver or transm\$) near content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 17:31
S67	22	@ad<"20010829" and (retention or store or save) with expir\$ adj (date or time) and (deliver or transm\$) near content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 17:31